

## Instructions for Administration of the Mini-Cog

ADMINISTRATION	SCORING/SPECIAL INSTRUCTIONS		
1.ThreeWordRecall	The following word lists have been used in one or more clinical studies:		
Get patient's attention. Say: "I am going to say three words that I want you to remember. The words are (select from word list). "Please say them for me now." If patient is unable to repeat after 3 tries, then go to clock drawing test.	<ul> <li>Version 1</li> <li>Banana</li> <li>Sunrise</li> <li>Chair</li> <li>Version 2</li> <li>Daughter</li> <li>Heaven</li> <li>Mountain</li> </ul>	<ul> <li>Version 3</li> <li>Village</li> <li>Kitchen</li> <li>Baby</li> <li>Version 4</li> <li>River</li> <li>Nation</li> <li>Finger</li> </ul>	<ul> <li>Version 5</li> <li>Captain</li> <li>Garden</li> <li>Picture</li> <li>Version 6</li> <li>Leader</li> <li>Season</li> <li>Table</li> </ul>
<ul> <li>2. Clock Drawing Test.</li> <li>2. Clock Drawing Test (CDT)</li> <li>Say inorder: "Please draw a clock. Start by drawing a large circle." (when done, say) "Put all the numbers in the circle." (when done, say) "Now set the hands to show 11:10 (10 past 11) OR "Now set the hands to show 8:20 (20 past 8).</li> <li>3. Say: "What were the three words I asked you to remember?</li> </ul>	<ul> <li>Use either a blank piece of paper or a preprinted circle (example below)</li> <li>A clock should not be visible to the patient during this task.</li> <li>The specific times of 11:10 {10 past 11} or 8:20 (20 past 8) are more sensitive than others.</li> <li>A correct response is all numbers placed in approximately the correct positions AND the hands pointing to the 11 and 2 (11:10) or the 4 and 8 (8:20).</li> <li>Refusal to draw a clock is scored abnormal (0 points).</li> <li>Move to next step if clock not complete within 3 minutes.</li> </ul>		

## Scoring

Each recalled word = 1point (Patients with word recall of 1-2 words are classified based on their CDT.) Normal Clock = 2 points Abnormal Clock = 0 points

Scoring Classification

0 recalled words OR 1-2 recalled words + abnormalCDT suggests possible cognitive impairment 3 recalled words OR 1-2 recalled words + normalCDT suggests lack of cognitive impairment

## *References/Copyright Information*

1. Borson S, Scanlan J, Brush M, Vitaliano P, Dokmak A. The mini-cog: a cognitive "vital signs" measure for dementia screening in multi-lingual elderly. *Int J Geriatr Psychiatry*. 2000;15(11):1021-1027. 2. Borson S, Scanlan JM, Chen P, Ganguli M. The Mini-Cog as a screen for dementia: validation in a population-based sample. *JAm Geriatr Soc.* 2003;51(10):1451-1454. 3. McCarten JR, Anderson P, Kuskowski MA, et al. Finding dementia in primary care:the results of a clinical demonstration project. *JAm Geriatr Soc.* 2012;60(2):210-217.

Mini-Cog<sup>™</sup> Copyright 2000, 2003, 2005. All rights reserved. Used with permission in educational and clinical materials developed by Alzheimer's, Orange County.

## **Clock Drawing Test**

